

INDEX MAPS.

T. 6 N. R. 11 E. 2nd Mer.

	422 423	422 423	422 423	422 424	422 424	421 424						
426	6	445	5	444	4	443	3	442	2	441	1	421
	444	444	443	442	442	441						
426	7	444	8	443	9	442	10	441	11	440	12	421
	440	440	438	437	436	435						
426	18	440	17	438	16	437	15	436	14	434	13	421
	439	439	438	437	436	435	434					
425	19	439	20	438	21	436	22	435	23	434	24	420
	434	433	432	431	429	428						
425	30	433	29	431	28	430	27	429	26	428	25	420
	433	432	431	430	429	427						
424	31	432	32	431	33	430	34	428	35	427	36	420
	417 419	417 419	417 419	417 418	417 418	418						

T. 7 N. R. 11 E. 2nd Mer.

	452 454	452 454	452 454	452 453	453	453						
456	6	475	5	474	4	473	3	472	2	471	1	451
	475	475	474	473	472	471						
456	7	475	8	474	9	473	10	472	11	471	12	451
	469	469	469	470	470	470						
456	18	468	17	467	16	466	15	465	14	464	13	451
	468	468	467	466	465	464						
455	19	467	20	467	21	466	22	465	23	464	24	450
	461	462	462	462	463	463						
455	30	461	29	460	28	459	27	458	26	457	25	450
	461	461	460	459	458	457						
454	31	460	32	459	33	459	34	458	35	457	36	449
	448	447 448	447 449	447 449	447 449	447 449	447 449	447 449	447 449	447 449	447 449	
	The figures on the lines refer to the page.											

The figures on the lines refer to the page.

447

Township N. 7 North, Range N. 11 East, 2nd Mer. Ind.
ch. 1th

South Boundary

Random line - Course of it $58^{\circ} 20' W$
West On S. boundary of Sec. 36
2.70 a Brook 12th, wide Cr. S.
15.54 a do. 6 " " " S.E.
40.00 Set temp^y. gr. Sec. post
42.52 a Brook 5th, wide Course S.E.
80.00 Set temp^y. Cor. to Sec. 35 & 36.
Land waving good timber Beech, Sugar, Poplar
Oak &c.

West On S. boundary of Sec. 35
40.00 Set temp^y. gr. Sec. post
67.90 a Brook 6th, wide Course S.W.
80.00 Set temp^y. Cor. to Sec. 34 & 35
Land level, timber Beech, Sugar, Oak, Poplar &c.

West On S. boundary of Sec. 34
9.50 a Brook 15th, wide Cr. S.W.
18.40 a do. 12 " " " S.W.
40.00 Set gr. Sec. post, temporarily
54.50 a Brook 10th, wide Cr. S.
80.00 Set temp^y. Cor. to Sec. 33 & 34
Land timber &c. Same as on the last mile

November 20th 1806

West On S. boundary of Sec. 33
9.35 a Brook 20th, wide Cr. S.W.
22.70 a do. 5 " " " S.
40.00 Set temp^y. gr. Sec. post
58.00 a Brook 5th, wide Cr. S.
80.00 Set temp^y. Cor. to Sec. 32 & 33
Land timber &c. Same as on the last mile

West On S. boundary of Sec. 32
28.16 a Brook 4th, wide Cr. S.W.

T. N. V. C. M. E. D. Mer. Indiana

ch. lth.

40.00 At tmpp. gr. Sec. post

52.90 a Brook 12 lth. wide Cr. S. W.

80.00 At tmpp. Cor. to Sec. 31 & 32

Sand timber etc. Same as on the last mile

West On S. boundary of Sec. 31

1.30 a Brook 20 lth. wide Cr. S. W.

10.50 Same 20 " " " N. E.

13.55 Same brook S. W. line runs down it Crossing it [Several times]

15.00 Same brook 20 lth. wide Cr. S. W. only

40.00 At tmpp. gr. Sec. post

46.80 a Brook 8 lth. wide Course N.

66.07 Intersected the Range line 70 lth. S. of post
Sand timber etc. Same as on the last mileTrue line Course $89^{\circ} 90' E$

East On S. boundary of Sec. 31

3.25 a Brook 25 lth. wide Cr. S. W. line runs up
225 lth. Course N. E.

12.50 a Poplar 36 in. dia.

18.50 a Brook 8 lth. wide Cr. N.

26.07 At gr. Sec. post from which

28.02 a S. Gum 20 in. dia. bray $N 87^{\circ} W 20$ lth. dist. of
an Elm 8 " " " $N 89^{\circ} E 24$ " "

28.62 a Brook 2 lth. wide Cr. S. W.

31.02 a Beech 18 in. dia.

66.07 At post Cor. to Sec. 31 & 32, from which
a Beech 30 in. dia. bray $N 75^{\circ} E 31$ lth. dist. of
a Do. 16 " " " $N 19^{\circ} W 19$ " "

East On S. boundary of Sec. 32

40.00 At gr. Sec. post, from which

a Poplar 20 in. dia. bray $N 16^{\circ} E 4$ lth. dist. ofa Beech 8 " " " $N 43^{\circ} W 21$ " "

80.00 At post Cor. to Sec. 32 & 33, from which

a Poplar 22 in. dia. bray $S 60^{\circ} E 12$ lth. dist. of

449

Tyler R. M. E. 2^d Mer. Indiana
ch. lks
a Beech 10 mi. dist. bearing S 1 W 15 lks. dist.

East On S. boundary of Sec. 33

19.40 a B. Gum 16 mi. dist.

40.00 Set q. Sec. post, from which
a Beech 11 mi. dist. bearing N 1 W 7 lks. dist. of
a Do. 8 " " " S 22 E 18 " "

80.00 Set post Cor. to Sec. 33 & 34, from which
a Sugar 10 mi. dist. bearing N 47 E 25 lks. dist. of
a Beech 22 " " " S 55 W 15 " "

East On S. boundary of Sec. 34

40.00 Set q. Sec. post, from which
a Lym 7 mi. dist. bearing S 30 E 12 lks. dist. of
a Beech 10 " " " S 27 W 34 " "

80.00 Set post Cor. to Sec. 34 & 35, from which
a Sassafras 9 mi. dist. bearing S 36 E 28 lks. dist. of
a Cherry 7 " " " S 39 W 16 " "

East On S. boundary of Sec. 35

40.00 Set q. Sec. post, from which
a Beech 6 mi. dist. bearing N 41 E 11 lks. dist. of
a Do 16 " " " S 52 W 10 " "

80.00 Set post Cor. to Sec. 35 & 36, from which
a Beech 7 mi. dist. bearing N 32 E 9 lks. dist. of
a B. Gum 24 " " " S 8 E 21 " "

East On S. boundary of Sec. 36

40.00 Set q. Sec. post, from which
a Beech 18 mi. dist. bearing N 34 E 30 lks. dist. of
a Do. 9 " " " S 83 1/2 W 18 " "

80.00 to Township Corner. Nov. 21st 1876

East Boundary var 5° 30' E.
North On E. boundary of Sec. 36
6.25 a Brook - lks. wide runs S 15 W.

450

Twp. 11 E. 2nd Mer. Indiana

ch. lks

10.30 Same Brook 12 lks. wide course S.E.

11.75 a Poplar 48 in. dia.

40.00 Set qf. Sec. post, from which
a Beech 8 in. dia. bears N 41 E 15 lks. dist. &
a No. 8 " " " S 13 1/2 W 28 " "

47.54 a Beech 24 " "

55.46 a No. 18 " "

80.00 Set post Cor. to Secs. 25 & 36, from which
a Beech 8 in. dia. bears N 30 E 28 lks. dist. &
a No. 17 " " " S 35 W 32 " "
Land level - timber Beech Sugar Poplar Ash &
undergrowth Spice

North On E. boundary of Sec. 25

10.85 a Poplar 20 in. dia.

25.98 a No. 60 " "

32.50 a Beech 16 " "

40.00 Set qf. Sec. post, from which
a W. Oak 60 in. dia. bears South 6 lks. dist. &
a Beech — " " " N 29 E 10 " "

46.25 a Brook 8 lks. wide course N.W.

46.82 an Elm 42 in. dia.

80.00 Set post Cor. to Secs. 24 & 25, from which
an Elm 11 in. dia. bears N 68 W 10 lks. dist. &
a Beech 9 " " " S 65 E 18 " "
Land waving rich - timber Beech, Ash, Poplar
Oak, Walnut &c. undergth: Spice

North On E. boundary of Sec. 24

9.28 a W. Oak 48 in. dia.

28.58 a S. Gum 36 " "

40.00 Set qf. Sec. post, from which
an Ash 15 in. dia. bears N 30 W 17 lks. dist. &
a Beech 24 " " " S 9 E 21 " "

52.88 a S. Gum 20 " "

80.00 Set post Cor. to Secs. 13 & 24, from which

451

T. N. P. M. E. 2nd Mer. Indiana
Chalk

a Beech 15 in dia. bears N 45 W 24 lbs. dist. 7
 a No. 9 " " " South 8 " "
 Sand flat timber Beech, Maple, Oak, Gum,
 Poplar, Sugar &c.

North On E. boundary of Sec. 13.

25.00 a Beech 16 in. dia.
 40.00 Set of. Sec. post. from which
 a Beech 18 in. dia. bears N 40 W 37 lbs. dist. 7
 a No. 10 " " " S 18 E 28 " "
 59.50 a Brook 16 lbs. wide course N 10 E.
 73.44 a No. 6 " " " N. E.
 80.00 Set post Cor. to Sec 12 & 13, from which
 a Syc 20 in. dia. bears South 13 lbs. dist. 7
 an Elm 12 " " " N 51 W 30 " "
 Sand first half level last Hilly timber Beech,
 Oak. Hickory Ash &c.

North On E. boundary of Sec. 12.

2.50 a Poplar 54 in. dia.
 12.40 an Elm 24 " "
 38.00 a Beech 28 " "
 40.00 a Brook 10 lbs. wide course N. W. 1/4 Sec. post from which
 a Syc 8 in. dia. bears S 44 E 18 lbs. dist. 7
 an Elm 13 " " " N 53 W 49 " "
 49.20 a Brook 6 lbs. wide course N. W.
 58.80 a No 5 " " " N. W.
 72.62 a Beech 22 in. dia.
 80.00 Set post Cor. to Sec. 1 & 12, from which
 a Sycamore 42 in. dia. bears S 84 W 26 lbs. dist. 7
 a No. 36 " " " S 76 E 19 " "
 Sand waving timber Beech, Ash, Sugar &c.

North On E. boundary of Sec. 1

1.00 Langhery Creek 125 lbs. wide course S. E.
 26.00 the Same " 125 " " " N. W.

T⁸N. R¹¹E. 2^d Mer. Indianach² lks

- 40.00 Set of Sec. post. from which
a Beech 10 in. dia. bears S 4 E 9 lks. dist. &
a No. 9 " " " N 10 W 7 " "
- 41.75 the same Creek course S. E.
- 54.53 a Beech 18 in. dia.
- 72.25 the same Creek course S. W.
- 80.00 Set post Cor. to Townships 7 & 8 North, Ranges
11 & 12, East, from which
a Beech 26 in. dia. bears N 42 W 13 lks. dist. &
a No. 11 " " " S 51 E 17 " "
- Land waving bottom - timber Beech, Sugar, Ash,
Oak &c. Nov. 24th 1876

North Boundary. Random line
East On S. boundary of Sec. 31, T⁸N. R¹¹E.
40.00 Set temp. of Sec. post
80.00 Set temp. Cor. to Sec. 31 & 32
Land flat, timber Beech, Oak, Hickory, Gum, Maple &c.

East On S. boundary of Sec. 32, T⁸N. R¹¹E.
34.65 at Brook 10 lks. wide cr. S. W.
40.00 Set temp. of Sec. post
58.05 at Brook 8 lks. wide cr. S. W. line runs up it
crossing it several times
75.80 left Brook heads N. E.
80.00 Set temp. Cor. to Sec. 32 & 33.
Land timber &c. same as on last mile

East On S. boundary of Sec. 33, T⁸N. R¹¹E.
40.00 Set temp. of Sec. post
80.00 Set temp. Cor. to Sec. 33 & 34.
Land timber &c. same as on the last mile

East On S. boundary of Sec. 34, T⁸N. R¹¹E.
40.00 Set temp. of Sec. post
64.40 at Brook 4 lks. wide Course S.

Ty N. R. N. E. 2nd Mer. Indiana

453

ch. 2, 4th

80.00 At temp. Cor. to Sec. 34 & 35

Sand timber &c. Same as on last mile

East On S. boundary of Sec. 35, T8 N. R. N. E.

3.00 at Brook 4th. wide Course S.

12.55 a do 5 " " " S.

40.00 At temp. q. Sec. post

80.00 At temp. Cor. to Sec. 35 & 36

Sand timber &c. Same as on the last mile

East On S. boundary of Sec. 36, T8 N. R. N. E.

15.40 at Brook 20th. wide Cr. S.

40.00 At temp. q. Sec. post

54.80 at Brook 8th. wide Course S.

60.17 Intersected E. boundary 100th. S. Lower Corner
First 51 chain hill - rest level, timber Beech
Oak, Ash, Hickory &c

True Line

West On S. boundary of Sec. 36, T8 N. R. N. E.

40.00 At q. Sec. post, from which

a W. Oak 30 in. dia. bray S 50 W 18 th. dist. of

a Beech 6 " " " N 55 E 5 " "

80.00 At post Cor. to Sec. 35 & 36, from which

a Gum 13 in. dia. bray N 78 W 31 th. dist. of

a Beech 7 " " " S 62 E 13 " "

West On S. boundary of Sec. 35, T8 N. R. N. E.

40.00 At q. Sec. post, from which

a Beech 15 in. dia. bray S 53 W 10 th. dist. of

a do. 7 " " " N 58 E 9 " "

80.00 At post Cor. to Sec. 34 & 35, from which

a Beech 11 in. dia. bray S 5 E 18 th. dist. of

an Ash 7 " " " N 13 E 13

West On S. boundary of Sec. 34, T8 N. R. N. E.

454

Ty. N. R. 11 E. 2. Mer. Indiana

ch. l. h.

40.00 Set of Sec. post, from which
a Beech 13 in. dia. bray N 44 W 4 ch. dist. of
a Do. 6 " " " N 4 E 12 " "

80.00 Set post Cor. to Sec. 33 & 34, from which
a Beech 8 in. dia. bray N 10 W 15 ch. dist. of
a Do. 16 " " " N 12 E 25 " "

West On S. boundary of Sec. 33, T. 8 N. R. 11 E.

40.00 Set of Sec. post, from which
a Beech 22 in. dia. bray N 52 W 15 ch. dist. of
a Do. 6 " " " S 57 E 6 " "

80.00 Set post Cor. to Sec. 32 & 33, from which
a Beech 11 in. dia. bray S 89 W 11 ch. dist. of
a Do. 10 " " " S 76 E 20 " "

West On S. boundary of Sec. 32, T. 8 N. R. 11 E.

40.00 Set of Sec. post, from which
a Hickory 13 in. dia. bray N 77 W 14 ch. dist. of
a Do. 8 " " " S 52 E 14 " "

80.00 Set post Cor. to Sec. 31 & 32, from which
a Beech 22 in. dia. bray N 37 W 21 ch. dist. of
a Do. 20 " " " S 4 W 16 " "

West On S. boundary of Sec. 31, T. 8 N. R. 11 E.

40.00 Set of Sec. post from which
a Beech 13 in. dia. bray N 60 W 21 ch. dist. of
a Do. 10 " " " S 53 W 22 " "

60.17 to Township Corner.

November 29th, 1886

West Boundary var. 5° 30' E

North On E. boundary of Sec. 36, T. 8 N. R. 10 E.

1.80 a Brook 20 ch. wide Cr. S. W.

33.70 a Maple 18 in. dia.

40.00 Set of Sec. post, from which
a Beech 11 in. dia. bray S 79 E 11 ch. dist. of

Ty N. R M E. D. Mer. Indiana 455

Ch. L. 1/2

a S. Gum 5 in. dia. bray S 55 W 34 lks. dist.
 51.30 a Beech 22 " "
 65.60 a Brook 15 lks. wide C. S. N. W.
 77.83 a Lynn 20 in. dia.
 80.00 Set post Cor. to Sec. 25 of 36, from which
 a Beech 16 in. dia. bray N 79 E 2 lks. dist. of
 a Do. 9 " " " N 74 W 34 " "
 First 1/2 mile flat, rest waving, timber Beech,
 Oak Ash &c.

North On E. boundary of Sec. 25, Ty N. R M E.

2.40 a Brook 4 lks. wide Course W.
 16.20 a Creek 80 " " " W.
 26.15 a Beech 30 in. dia.
 30.60 a Brook 5 lks. wide C. S. S. W.
 39.12 the same 5 " " " S. E.
 40.00 Set q. Sec. post, from which
 a Beech 8 in. dia. bray N 35 E 18 lks. dist. of
 a Do. 12 " " " S 16 W 26 " "
 49.25 a W. Oak 60 " "
 68.45 a Beech 24 " "
 71.15 a Brook 3 lks. wide C. S. S. E.
 80.00 Set post Cor. to Sec. 24 of 25, from which
 a Sugar 11 in. dia. bray N 44 W 46 lks. dist. of
 an Ash 9 " " " S 17 W 14 " "
 Land waving, timber Beech, Oak, Poplar Hickory &c.

North On E. boundary of Sec. 24, Ty N. R 10 E.

9.80 a W. Oak 15 in. dia.
 40.00 Set q. Sec. post, from which
 a S. Gum 16 in. dia. bray N 40 E 22 lks. dist. of
 a Maple 24 " " " S 21 W 33 " "
 60.97 a Beech 16 " "
 69.10 a W. Oak 24 " "
 80.00 Set post Cor. to Sec. 13 of 24, from which
 a Beech 7 in. dia. bray N 35 E 16 lks. dist. of

456

T^y N. R¹⁰ E. 2^d. Mer. Indianachth

a Beech 8 in. dia^r. Bray N 17½ W 7 lks. dist. of
Land flat, timber Beech, Oak, Gum, Maple &c.

North On E. boundary of Sec. 13, T^y N. R¹⁰ E.

23.54 a B. Oak 46 in. dia^r.

34.25 a M. Oak 72 " "

40.00 At post for q^r. Sec. Cor. from which
a Maple 24 in. dia^r. Bray N 15 W 22 lks. dist. of
a Beech 8 " " " S 32 E 8 " "

62.35 a S. Gum 20 " "

80.00 At post Cor. to Sec. 12 of 13, from which
a Beech 9 in. dia^r. Bray N 56 E 13 lks. dist. of
a do. 6 " " " S 50 W 6 " "
Land timber &c. Same as on the last mile

North On E. boundary of Sec. 12, T^y N. R¹⁰ E.

40.00 At q^r. Sec. post, from which

a Beech 18 in. dia^r. Bray N 57 E 29 lks. dist. of
a do. 16 " " " S 28 W 5 " "

46.97 a S. Gum 16 " "

80.00 At post Cor. to Sec. 11 of 12, from which
a Beech 9 in. dia^r. Bray N 8 W 37 lks. dist. of
a do. 13 " " " S 46 E 21 " "
Land timber &c. Same as on the last mile

North On E. boundary of Sec. 1, T^y N. R¹⁰ E.

37.45 a Beech 10 in. dia^r.

40.00 At q^r. Sec. post, from which

an Ash 13 in. dia^r. Bray N 70 E 38 lks. dist. of
a Beech 16 " " " S 68 W 42 " "

45.30 a Brook 8 lks. wide C^t. N. W.

48.47 a Beech 30 in. dia^r.

60.78 a do. 22 " "

80.00 At post Cor. to Townships 7 & 8 North, of
Range 10 of 11 East, from which
a Beech 10 in. dia^r. Bray N 85 E 3½ lks. dist

chth *T. N. P. M. E. 2^d Mer. Indiana* 457

at Beech 7 in. dia. bears S 52 W 11 lks. dist.
Land timber &c. same as on the last mile
November 26th 1886

Surveyed By

John Brownson

Deputy Surveyor

Comp

Subdivision.

North Between Secs. 35 & 36, T. N. P. M. E.

12.00 a small brook 8 lks. wide runs E.

40.00 Set of Sec. post, from which
a Gum 18 in. dia. bears West 17 lks. dist. of
a Beech 8 " " " S 80 E 7 " "

80.00 Set post Cor. to Secs. 25, 26, 35 & 36, from which
a Beech 18 in. dia. bears S 40 W 9 lks. dist. &
a Do. 8 " " " N 17 W 24 " "

Land on this mile low & wet. timber Beech, Gum,
Ash, &c. Soil Cold 2^d rate

East On Random between Secs. 25 & 36.

40.00 Set tempy. of Sec. post.

79.43 Intersected the E. boundary 150 lks. N. of post.
this mile low wet Land — timber Beech, Maple,
Ash, &c. 3^d rate Soil Cold —

West Connected between Secs. 25 & 36

39.71 Set of Sec. post. at average dist. from which
a Poplar 37 in. dia. bears N 35 W 5 lks. dist. &
a Gum 7 " " " South 7 " "

79.50 to Section Corner

North Between Secs. 25 & 26.

39.00 a small water course 4 lks. wide runs E.

40.00 Set of Sec. post, from which
a Poplar 5 in. dia. bears S 10 W 22 lks. dist. &
a Beech 12 " " " S 20 E 29 " "

458

T. N. R. M. E. 2nd Mer. Indiana

chd. lky

80.00 Set post Cor. to Secs. 23, 24, 25 & 26, from which
 a W. Ash 24 in. dia. bears N 10 W 16 lks. dist. &
 a Hickory 16 " " " East 10 " "
 Land timber &c. same as last mile

North Between Secs. 34 & 35

22.00 a Brook 8 lks. wide course N.

40.00 Set q. Sec. post, from which
 a Beech 16 in. dia. bears S 80 E 9 lks. dist. &
 a No. 28 " " " N 80 W 15 " "

80.00 Set post Cor. to Secs. 26, 27, 34 & 35, from which
 a Beech 14 in. dia. bears S 71 W 19 lks. dist. &
 a No. 14 " " " N 39 E 18 " "
 Land and timber Beech &c. same as last mile

East On Ransom between Secs. 26 & 35

40.00 Set temp. q. Sec. post

80.00 Intersected the N. & S. line 100 lks. N. of post.
 this mile low wet Land timber Beech, Sugar,
 Maple Lym &c. 3rd rate

West Corrected between Secs. 26 & 35

40.00 Set q. Sec. post, at average dist. from which
 a Beech 12 in. dia. bears N 3 E 25 lks. dist. &
 a No. 24 " " " S 70 W 24 " "

80.00 to Section Corner

North Between 26 & 27

38.00 a Brook 5 lks. wide course N. W.

40.00 Set q. Sec. post, from which
 a Beech 6 in. dia. bears S 35 W 14 lks. dist. &
 a No. 18 " " " N 30 — 14 " "

42.50 a Brook 10 lks. wide course N. rock on both sides

80.00 Set post Cor. to Secs. 22, 23, 26 & 27, from which
 a Sugar 28 in. dia. bears S 5 W 9 lks. dist. &
 a Beech 8 " " " S 70 E 15 " "

459

S. M. P. M. Co. 2^d Mer. Indiana

ch. lky

Land timber &c. Same as on the last mile.

North Between Secs. 33 & 34.
 18.00 a Brook 14 lks. wide Course S. 30 W.
 40.00 Set of. Sec. post. from which
 a Gum 24 in. dia. bears S 5 E 9 lks. dist. &
 a W. Ash 24 " " " N 30 W 39. " "
 45.00 a Brook 6 lks. wide Course S. W.
 80.00 Set post Cor. to Secs. 27, 28, 33 & 34, from which
 a Beech 8 in. dia. bears S 21 E 9 lks. dist. &
 a No. 4 " " " N 20 W 36 " "
 this mile level timber Beech Oak Gum 3^d ratelands

East On Random between Secs. 27 & 34
 40.00 Set temp. of. Sec. post.
 80.00 Intersected the N. & S. line 10 lks. N. of post.
 this mile low wet Soil timber Beech, Oak, Ash,
 Gum &c. Soil Cold 3^d rate

West Corrected between Secs. 27 & 34
 40.00 Set of. Sec. post. at average dist. from which
 a Beech 18 in. dia. bears S 80 W 11 lks. dist. &
 a No. 8 " " " East 29 " "
 80.00 to Section Corner

North Between Secs. 27 & 28
 30.50 a Brook 5 lks. wide Course W.
 40.00 a Beech 10 in. dia. for. of. Sec. post.
 70.50 a Stream 25 lks. wide Course W.
 80.00 Set post Cor. to Secs. 21, 22, 27 & 28, from which
 a Beech 24 in. dia. bears N 20 E 9 lks. dist. &
 a No. 10 " " " West 13 " "
 Land timber &c. Same as last mile, 2^d rate

North Between Secs. 32 & 33
 40.00 Set of. Sec. post. from which

S. N. P. M. E. 2^d Mer. Indiana
ch. l. l.

a Beech 13 in. dia. bears S 49 E 17 lks. dist. &
 an Elm 16 " " " N 51 W 35 "
 80.00 Set post Cor. to Secs. 28, 29, 32 & 33, from which
 a Gum 12 in. dia. bears N 12 E 12 lks. dist. &
 a Beech 8 " " " S 50 E 7 " "
 Land 2^d rate timber same as last mile

East On Pradom between Secs. 28 & 33

40.00 Set temp. q. Sec. post.

80.00 Intersected the N. & S. line at the post.

Level Land timber same as last mile

West Connected between Secs. 28 & 33

40.00 Set q. Sec. post, at average dist. from which
 a Beech 7 in. dia. bears S 45 W 11 lks. dist. &
 a W. Oak 7 " " " N 60 W 7 " "

80.00 to Section Corner

North Between Secs. 28 & 29

35.00 a Stream 6 lks. wide Course N. E.

40.00 Set q. Sec. post, from which

a Sugar 13 in. dia. bears S 10 E 13 lks. dist. &
 a Beech 24 " " " East 26 " "

52.00 a Stream 25 lks. wide course W.

57.00 a W. 10 " " " N. 20 E.

80.00 Set post Cor. to Secs. 20, 21, 28 & 29, from which
 a Beech 36 in. dia. bears N 22 E 13 lks. dist. &
 a W. 10 " " " S 22 W 19 " "
 Land timber same as last mile

North Between Secs. 31 & 32.

40.00 Set q. Sec. post, from which

a Beech 14 in. dia. bears S 52 E 6 lks. dist. &

a W. 5 " " " S 49 W 6 " "

80.00 Set post Cor. to Secs. 29, 30, 31 & 32, from which
 a Beech 6 in. dia. bears N 80 E 5 lks. dist. &

461

S. N. P. M. E. 2^d. Mer. Indiana

ch. 2^{ly}

a Beech 5 in. dia. bears S 80 W 6 lks. dist.
Sand timber &c. Same as on last mile.

East On Prandon between Sec. 29 & 32

12.50 a Stream 15 lks. wide Course N. W.

40.00 Set temp. q. Sec. post.

80.00 Intersected the N. & S. line at the post.

Sand timber &c. Same as on the last mile

West Connected between Sec. 29 & 32

40.00 Set q. Sec. post. at average dist. from which
a Beech 30 in. dia. bears S 74 W 13 lks. dist. &

a Do. 6 " " " N 74 E 14 " "

66.75 a Stream 15 lks. wide course N. E.

80.00 to Section Corner

West Between Sec. 30 & 31.

5.00 a Stream 6 lks. wide Course N. W.

40.00 Set q. Sec. post. from which

a Beech 13 in. dia. bears N 82 E 22 lks. dist. &

a Do. 15 " " " N 84 W 83 " "

64.25 Intersected the W. boundary at the post.

Level 2^d. rate Sand timber Beech, Ash, Poplar,
Sugar under q. Spice—

North Between Sec. 29 & 30

40.00 Set q. Sec. post. from which

a Beech 15 in. dia. bears N 53 W 8 lks. dist. &

a Sugar 6 " " " S 61 E 72 " "

79.00 a Stream 100 lks. wide Course N. W.

80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which

a Beech 30 in. dia. bears N 38 W 8 lks. dist. &

a Do. 7 " " " S 38 E 1 " "

Sand timber &c. Same as last mile—

West Between Sec. 19 & 30

462

T^y N. R. M. E. 2^d. Mer. Indianach^d. lks

- 10.00 a Stream 10 lks. wide Course S.
 20.50 a No. 15 " " " S.
 40.00 Set qf. Sec. post. from which
 a Beech 18 in. dia. bears S 48 E 18 lks. dist. &
 a No. 5 " " " N 48 W 17 " "
 63.75 Intersected the N. boundary 96 lks. S. of post.
 Set post cor. to Secs. 17 & 30, from which
 a Beech 7 in. dia. bears N 44 E 3 1/4 lks. dist. &
 a Sugar 15 " " " S 25 E 12 " "
 Broken Land timber same as last mile.

East On Random between Secs. 20 & 29

- 40.00 Set temp. qf. Sec. post
 54.00 a Stream 25 lks. wide course S. W.
 80.00 Intersected the N. & S. line at the post.
 Land broken 3^d. rate timber Beech &c. Soil rich

West Corrected between Secs. 20 & 29

- 26.00 a Stream 25 lks. wide course S. W.
 40.00 Set qf. Sec. post. at average dist. from which
 an Elm 5 in. dia. bears North 16 lks. dist. &
 a Locust 6 " " " South 6 " "
 80.00 To Section Corner

East On Random between Secs. 21 & 28

- 40.00 Set temp. qf. Sec. post.
 79.00 Intersected the N. & S. line at the post.
 Land timber &c. same as on the last mile

West Corrected between Secs. 21 & 28

- 39.50 Set qf. Sec. post. at average dist. from which
 a Beech 15 in. dia. bears N 14 W 8 lks. dist. &
 a No. 6 " " " S 14 E 13 " "
 79.00 to Section Corner

East On Random between Secs. 22 & 27

463

T. N. R. E. D. Mer. Indiana

ch. 2. 164

40.00 Set temp. q. Sec. post.

79.61 Intersected the N. & S. line 79 lks. N. of post.
this mile level Land—timber Beech Sugar
Poplar Spice—undergrowth— 2nd rate

West Corrected between Sec. 22 & 27.

40.00 Set q. Sec. post. at average dist. from which
a Beech 16 in. dia. bears N 45 E 16 lks. dist. &
a Lym 18 " " " S 30 N 28 " "

50.00 a Stream 25 lks. wide Course S.

79.61 to Section Corner

East On Prandam between Sec. 23 & 26

40.00 Set temp. q. Sec. post.

80.00 Intersected the N. & S. line 40 lks. N. of post.
the last half of this mile good Land—the other
low wet Land timber, Beech, Ash, Sugar, Poplar,

West Corrected between Sec. 23 & 26

40.00 Set q. Sec. post. at average dist. from which
a Beech 18 in. dia. bears N 40 E 18 lks. dist. &
a No. 18 " " " S 80 E 16 " "

80.00 to Section Corner

East On Prandam between Sec. 24 & 25

40.00 Set temp. q. Sec. post.

45.00 a Brook 8 lks. wide Course N.

80.00 Intersected the N. boundary 150 lks. N. of post.
this mile level timber Beech, Sugar, Maple,
Hem, Ash, &c.

West Corrected between Sec. 24 & 25

35.00 a Brook 9 lks. wide Course N.

40.00 Set q. Sec. post. at average dist. from which
a Beech 12 in. dia. bears N 10 N 21 lks. dist. &
a No. 5 " " " S 40 E 9 " "

464 S. N. P. M. E. D. Mer. Indiana
ch. lks

80.00 to Section Corner

North Between Sec. 23 & 24

23.00 a Brook 10 lks. wide Course N. E.

40.00 Set q. Sec. post. from which

a Beech 18 in. dia. bears S 33 E 12 lks. dist. &

a No. 4 " " " S 67 W 24 " "

78.00 a Brook 6 lks. wide Course N. E.

80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which

a Beech 18 in. dia. bears N 10 W 33 lks. dist. &

a No. 8 " " " S 44 W 24 " "

this mile low wet timber same as last mile

East On Prandon between Sec. 13 & 24

4.00 a Brook 8 lks. wide Course N.

16.00 a No. 16 " " " N.

40.00 Set trap. q. Sec. post.

79.50 Intersected the E. boundary 323 lks. N. of post.
this mile level timber Beech, Ash, Poplar, Gum
3^d. rate Land

West Corrected between Sec. 13 & 24

39.75 Set q. Sec. post. at average dist. from which

an Elm 8 in. dia. bears S 87 E 8 lks. dist. &

at Hickory 8 " " " North 32 " "

63.00 a Brook 16 lks. wide Course N.

76.00 a No. 8 " " " N.

79.50 to Section Corner

North Between Sec. 13 & 14

25.00 a Stream 20 lks. wide Course N. W.

40.00 a Beech 24 in. dia. for. q. Sec. post.

75.00 a Brook 24 lks. wide Course S W.

80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which

a Beech 12 in. dia. bears S 30 W 20 lks. dist. &

a No. 16 " " " N 70 W 20 " "

Ch. & Lk.

(Description of Land &c. Omitted)

North Between Secs. 22 & 23
 18.00 a Brook 8 lks. wide Course N. W.
 40.00 Set of. Sec. post, from which
 a Beech 18 in. dia. bears N 40 E 37 lks. dist. &
 a No. 24 " " " S 6 W 9 " "
 52.00 a Brook 8 lks. wide Course N. W.
 56.00 a No. 8 " " " N. W.
 80.00 Set post Cor. to Secs. 14, 15, 22 & 23, from which
 a Beech 14 in. dia. bears S 38 W 28 lks. dist. &
 a No. 6 " " " N 40 E — " "
 Land 2nd rate timber Beech Sugar Poplar &c.

East On Pradom between Secs. 14 & 23
 40.00 Set temp. of. Sec. post.
 80.00 Intersected the N. & S. line 100 lks. N. of post.
 Land level timber Beech Sugar Poplar Spruce
 &c. undergth Spruce 3rd rate.

West Connected between Secs. 14 & 23
 40.00 Set of. Sec. post, at average dist. from which
 a Beech 8 in. dia. bears S 70 W 20 lks. dist. &
 a No. 9 " " " East 15 " "
 80.00 to Section Corner

North Between Secs. 14 & 15
 12.00 a Brook 8 lks. wide Course N. W.
 32.00 a No. 8 " " " N. W.
 40.00 Set of. Sec. post, from which
 a Beech 10 in. dia. bears S 30 W 21 lks. dist. &
 a No. 16 " " " N 60 E 20 " "
 60.00 a Brook 20 lks. wide Course S. 30 W.
 63.00 a No. 10 " " " S. E.
 70.00 a Brook — " " heads N. W.
 80.00 Set post Cor. to Secs. 10, 12, 14 & 15, from which

466

S. N. P. M. E. 2^d. Mer. Indiana

ch. lky.

a Beech 24 in. dia. bears S 35 N 32 lks. dist. 9
 a No. 24 " " " N 10 E 29 " "
 Land 2^d. rate Beech Sugar Spice &c.

North Between Secs. 21 & 22.

40.00 Set qf. Sec. post, from which
 a Beech 10 in dia. bears S 80 E 23 lks. dist. 4
 a No. 28 " " " N 30 W 24 " "
 80.00 Set post Cor. to Secs. 15, 16, 21 & 22, from which
 a Beech 15 in. dia. bears N 44 E 13 lks. dist. 4
 a No. 4 " " " S 25 E 7 " "
 Land level timber same as last mile

East On Prandom between Secs. 15 & 22

40.00 Set temp. qf. Sec. post.
 53.00 a Stream 25 lks. wide course S.
 80.00 Intersected the N. & S. line 28 lks. N. of post.
 Land timber &c. same as last mile

West Corrected between Secs. 15 & 22

27.50 a Brook 25 lks. wide course South
 40.00 Set qf. Sec. post. at average dist. from which
 a Beech 14 in. dia. bears N 60 W 6 lks. dist. 4
 a No. 24 " " " S 46 E 24 " "
 80.00 to Section Corner

North Between Secs. 15 & 16

25.00 a Brook 10 lks. wide course E.
 40.00 Set qf. Sec. post. from which
 a Beech 6 in. dia. bears N 54 W 21 lks. dist. 4
 a W. Ash 6 " " " S 54 E 26 " "
 80.00 Set post. Cor. to Secs. 9, 10, 15, 16, from which
 a Beech 14 in. dia. bears S 88 E 31 lks. dist. 4
 a No. 9 " " " S 40 W 16 " "
 Land level brushy beech flat.

S. N. R. M. E. D. Mer. Indiana

467

ch. lks

North Between Sect. 20 & 21.

40.00 Set of. Sec. post, from which
a Beech 18 in. dia. bears S 38 E 24 lks. dist. &
a No. 12 " " " S 80 W 16 " "

80.00 Set post Cor. to Sect. 16, 17, 20 & 21, from which
a Beech 7 in. dia. bears N 37 W 12 lks. dist. &
a No. 6 " " " S 18 W 16 " "
Land level timber Beech Poplar undergrowth
green hirs Spruce -

East On Prandon between Sect. 16 & 21

40.00 Set temp. of. Sec. post.

79.50 Intersected the N. & S. line at the post.
Land timber &c. Same as last mile

West Corrected between Sect. 16 & 21

39.75 Set of. Sec. post, at average dist. from which
a Sugar 14 in. dia. bears S 57 E 25 lks. dist. &
a No. 6 " " " N 57 W 5 " "

79.50 to Section Corner

North Between Sect. 16 & 17

40.00 Set of. Sec. post, from which
a Beech 12 in. dia. bears N 40 W 8 lks. dist. &
a No. 8 " " " S 50 E 22 " "

80.00 Set post Cor. to Sect. 8, 9, 16 & 17, from which
a Beech 4 in. dia. bears S 5 W 14 lks. dist. &
a No. 18 " " " N 20 W 10 " "
Land 3^d. rate timber Same as last mile.

North Between Sect. 19 & 20.

40.00 Set of. Sec. post. from which
a Beech 15 in. dia. bears East 11 lks. dist. &
a No. 15 " " " West 6 " "

45.00 a Stream 50 lks. wide Course S. W. thence up Stream
to the Section Corner

S. N. P. M. E. 2nd. Mer. Indiana
ch. l. l. l.

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which
 a Beech 15 in. dia. bears N 70 W 8 lks. dist. &
 a No. 15 " " " N 77 E 23 " "
 Rich Beech bottom Land -

East On Random between Sec. 17 & 20.

40.00 Set temp. q. Sec. post.

80.00 Intersected the N. & S. line 20 lks. N. of post.
 this mile broken - timber Beech Poplar 3rd rate
 undergrowth Spice &c.

West Corrected between Sec. 17 & 20

40.00 Set q. Sec. post, at average dist. from which
 a Beech 9 in. dia. bears N 52 W 23 lks. dist. &
 a No. 7 " " " S 34 E 15 " "

80.00 To Section Corner

West Between Sec. 18 & 19

40.00 Set q. Sec. post, from which
 a Beech 10 in. dia. bears N 65 W 5 lks. dist. &
 a No. 10 " " " S 23 E 9 " "

63.25 Intersected the W. boundary 50 lks. S. of post.
 Set post Cor. to Sec. 18 & 19, from which
 a Beech 6 in. dia. bears N 21 W 26 lks. dist. &
 a No. 5 " " " S 39 E 21 " "
 this mile some broken - timber Beech Poplar 3rd rate
 undergrowth Spice -

North Between Sec. 17 & 18

35.00 a Stream 25 lks. wide Course N. E.

40.00 Set q. Sec. post, from which
 a Beech 30 in. dia. bears N 25 W 11 lks. dist. &
 a No. 6 " " " S 25 E 20 " "

80.00 Set post Cor. to Sec. 7, 8, 17, & 18, from which
 a _____ in. dia. bears _____ lks. dist. &
 a _____ " " " _____ " "

ch^l. lks
 T. N. R. M. Co. 2nd Mer. Indiana 469

(bearing trees Omitted)

Level 2nd rate Land timber Beech, Poplar, Ash,

West Between Sec. 7 & 18
 40.00 Set of. Sec. post, from which
 a Hickory 10 in. dia. bears East 40 lks. dist. &
 an Elm 8 " " " S 5 N 21 " "
 on the E. bank of a Stream 25 lks. wide Course S.
 62.62 Intersected the W. boundary at the post
 this distance level timber Beech Poplar Gum
 Maple - Soil Cold 3rd rate Land -

East On Pradom between Sec. 8 & 17.
 40.00 Set temp. of. Sec. post.
 80.60 Intersected the N. & S. line 3 1/4 lks. S. of post.
 this mile level 3rd rate land timber Beech
 Maple &c. Soil Cold -

West Corrected between Sec. 8 & 17
 40.30 Set of. Sec. post, at average dist. from which
 a Beech 14 in. dia. bears N 15 E 13 lks. dist. &
 a No. 10 " " " South 10 " "
 80.60 to Section Corner

East On Pradom between Sec. 9 & 16
 16.00 a Brook 8 lks. wide Course N.
 40.00 Set temp. of. Sec. post.
 79.00 Intersected the N. & S. line 21 lks. S. of post.
 this mile low 3rd rate Land timber Beech
 Poplar Gum &c.

West Corrected between Sec. 9 & 16
 39.50 Set of. Sec. post, at average dist. from which
 a Beech 8 in. dia. bears S 20 N 14 lks. dist. &
 a No. 22 " " " S 50 E 14 " "
 79.00 to Section Corner

470) T. N. R. M. E. 2nd Mer, Indiana

ch. P. lks.

East On Random between Sec. 10 & 15
 37.00 a Brook 6 lks. wide Course S. E.
 40.00 Set temp. y. of Sec. post
 73.00 a Stream 12 lks. wide Course S.
 80.00 Intersected the N. & S. line 100 N. of post
 this mile level 3rd. rate Land timber Beech
 Maple - Soil Cold

West Connected between Sec. 10 & 15
 40.00 Set of Sec. post. at average dist. from which
 a Beech 18 in. dia. bears N 15 E 25 lks. dist. &
 a No. 10 " " " S 40 E 10 " "
 80.00 To Section Corner

East On Random between Sec. 11 & 14
 40.00 Set temp. y. of Sec. post.
 45.00 a Brook 8 lks. wide Course S. W.
 80.00 Intersected the N. & S. line 19 lks. N. of post.
 this mile 2nd. rate Land timber Beech, Sugar,
 Poplar Spice &c.

West Connected between Sec. 11 & 14
 35.00 A Brook 8 lks. wide Course S. W.
 40.00 Set of Sec. post. at average dist. from which
 a Spruce 30 in. dia. bears N 30 E 32 lks. dist. &
 a Beech 3 " " " South 17 " "
 80.00 to Section Corner

East On Random between Sec. 12 & 13
 40.00 Set temp. y. of Sec. post.
 45.00 a Brook 8 lks. wide Course N.
 80.00 Intersected the E. boundary 380 lks. N. of post.
 the first quarter of this mile Hilly the other level
 the timber Beech Poplar Sugar Maple, 3rd. rate
 Land undergrth. Spice

ch^d l^g.

West Corrected between Sect. 12 & 13
 35.00 a Brook 8 l^g. wide Course N.
 40.00 Set of. Sec. post. at average dist. from which
 a Beech 16 in. dia. bears N 27 E 11 l^g. dist. &
 a Do. 12 " " " South 19 " "
 80.00 to Section Corner

North Between Sect. 11 & 12
 40.00 Set of. Sec. post. from which
 a Beech 2 1/2 in. dia. bears S 55 W 22 l^g. dist. &
 a Do. 15 " " " N 45 E 8 " "
 80.00 Set post Cor. to Sect. 1, 2, 11 & 12, from which
 a Sugar 10 in. dia. bears S 35 W 17 l^g. dist. &
 a Beech 6 " " " N 25 E 25 " "
 Land level 3rd rate timber Beech Oak Poplar

East On Random between Sect. 1 & 12
 40.00 Set temp^y of. Sec. post.
 45.00 descended a Clift of rock 70 feet high to a large
 Creek 100 l^g. wide thence down a Creek to the post.
 80.00 Intersected the E. boundary at the post.
 this mile broken 3rd rate land - timber Beech.

West Corrected between Sect. 1 & 12.
 40.00 Set of. Sec. post. at average dist. from which
 a Sugar 8 in dia. bears S 80 E 11 l^g. dist. &
 a Beech 14 " " " S 40 W 25 " "
 80.00 To Section Corner.

North Between Sect. 1 & 2
 15.00 a Stream 12th wide Course S. E. rose a steep bank
 60 feet high much rocks.
 40.00 Set of. Sec. post. from which
 a Beech 10 in. dia. bears N 15 E 8 l^g. dist. &
 a Do. 10 " " " N 45 W 19 " "
 76.35 Intersected the N. & boundary 46 l^g. N. of post.

472 Spt RME. 2nd Mer. Indiana

ch'dly

Set post Cor. to Sect. 1 & 12, from which
a Gum 14 in. dia. bears N 50 E 15 lbs. dist. &
a Beech 6 " " " S 10 E 13 " "
this mile some broken 3rd rate timber Sugar
Beech &c. no undergrowth -

North Between Sect. 10 & 11

12.50 a Brook 12 lbs. wide Course S. W.

40.00 Set of. Sec. post. from which
a Beech 12 in. dia. bears N 30 E 5 lbs. dist. &
a Wo. 14 " " " N 10 W 28 " "

80.00 Set post Corner to Sect. 2, 3, 10 & 11, from which
a Beech 16 in. dia. bears S 50 W 11 lbs. dist. &
a Wo. 28 " " " N 27 E 43 " "
this mile level 3rd rate Land Beech timber

East On Prandom between Sect. 2 & 11

25.00 a Stream 14 lbs. wide Course S.

35.00 a Wo. — " " " N 80 E. much rocks
in the banks.

40.00 Set temp. of. Sec. post.

80.00 Intersected the N. & S. line 29. lbs. N. of post.
this mile some broken, timber Beech Sugar Poplar
3rd rate Land -

West Corrected between Sect. 2 & 11

40.00 Set of. Sec. post. at average dist. from which
a Beech 12 in. dia. bears N 20 E 21 lbs. dist. &
a Wo. 15 " " " S 60 E 21 " "

80.00 to Section Corner

North Between Sect. 2 & 3.

3.00 a Brook 6 lbs. wide Course E.

40.00 Set of. Sec. post. from which
a Sugar 16 in. dia. bears S 60 E 6 lbs. dist. &
a Beech 8 " " " N 30 W 13 " "

473

S. N. P. M. E. 2nd Mer. Indiana

ch. P. M.

- 44.00 a Brook 10 lks. wide Course E.
 72.00 Intersected the N. boundary, ^{a Brook 6 lks. wide S.E.} a Beech 8 in. dia. notched on all sides for the corner of Sec. 2 & 3. this mile level timber Beech Oak. Poplar.

North Between Sec. 9 & 10

- 40.00 Set of. Sec. post. from which
 a Beech 6 in. dia. bears South 30 lks. dist. &
 a No. 8 " " " N 45 W 12 " "
 80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which
 a Gum 18 in. dia. bears West 20 lks. dist. &
 a Beech 12 " " " N 5 E 25 " "
 this half mile low wet Land timber Beech, Ash,
 Maple, Elm, & Soil Cold, last half mile
 3rd rate timber same as last.

East On Random between Sec. 3 & 10

- 40.00 Set temp. of. Sec. post.
 80.00 Intersected the N. & S. line 30 lks. N. of post.
 this mile level - timber Beech Maple &c. 3rd rate
 Land - Soil Cold.

West Connected between Sec. 3 & 10.

- 26.00 a Brook 8 lks. wide Course S.
 40.00 Set of. Sec. post. at average dist. from which
 a Beech 8 in. dia. bears S 40 E 7 lks. dist. &
 a No. 10 " " " East 19 " "
 80.00 To Section Corner

North Between Sec. 3 & 14

- 40.00 Set of. Sec. post. from which
 a Gum 18 in. dia. bears N 10 E 24 lks. dist. &
 a Beech 9 " " " S 30 W 14 " "
 77.25 Intersected the N. boundary 74 lks. N. of post.
 Set post Cor. to Sec. 3 & 14, from which
 an Ironwood 3 in. dia. bears N 25 E 10 lks. dist. &

474

S. N. E. 2. Mer. Indiana

ch. 14

a W. Ash 24 in. dia. bears S 45 E 8 lks. dist. &
this mile low wet 3^d. rate land timber Beech,
Poplar, Ash, Maple, Elm &c.

North Between Sect. 8 & 9

40.00 Set of. Sec. post, from which
a Beech 18 in. dia. bears S 60 N 25 lks. dist. &
a W. 4 " " " N 65 E 4 " "

58.00 a Stream 15 lks. wide course N rocks on both ^{S. side} & bottom

80.00 Set post Cor. to Sect 4. 5. 8 & 9, from which
a Sugar 4 in. dia. bears S 75 N 10 lks. dist. &
a Beech 24 " " " S 50 — 37 " "
this mile level — timber Beech Oak some Poplar
Maple Soil Cold 3^d. rate Land.

East On Random between Sect. 4 & 9

40.00 Set temp. of. Sec. post.

79.90 Intersected the N & S. line 60 lks. N. of post.
this mile Cold Soil 3^d. rate Land timber
principally Beech

West Corrected between Sect. 4 & 9

39.95 Set of. Sec. post, at average dist. from which
a Beech 20 in. dia. bears S 40 N 8 lks. dist. &
a W. — " " " N 45 N 16 " "

42.00 a Brook 8 lks. wide course S. W.

79.90 to Section Corner

North Between Sect. 4 & 5.

40.00 Set of. Sec. post, from which
a Beech 12 in. dia. bears S 30 E 6 lks. dist. &
a W. — " " " N 35 N 16 " "

77.43 Intersected the N. boundary 50 lks. E. of post
Set post Cor. to Sect. 4 & 5, from which
a Poplar 6 in. dia. bears N 25 E 6 lks. dist. &
a Beech 6 " " " N 40 E 20 " "

St RME. 2^d Mer Indiana 475
ch. 2^d by

this mile low wet soil - timber Beech 3^d rate

North Between Sec. 7 & 8

38.00 a Brook 6 lks. wide Course N.

40.00 Set of. Sec. post, from which
a Sugar 18 in. dia. bears N 50 W 12 lks. dist. 4.
a Beech 22 " " " S 65 E 27 " "

50.00 a Stream 25 lks. wide Course S. W.

65.00 a small brook 6 " " " W.

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
a Beech - in. dia. bears S 40 W 31 lks. dist. 4.

a No. 12 " " " N 23 E 11 " "

this mile level - timber Beech Oak &c. 2^d rate

East On Prandom between Sec. 5 & 8

17.50 a Brook 18 lks. wide Course S.

40.00 Set temp. of. Sec. post

44.00 a Brook 12 lks. wide Course S.

80.00 Intersected the N. & S. line at the post.

this mile Beech Poplar Oak &c. 3^d rate

West Corrected between Sec. 5 & 8

40.00 Set of. Sec. post, at average dist. from which
a Beech 10 in. dia. bears S 75 W 18 lks. dist. 4.
a do. 8 " " " N 17 W 10 " "

80.00 to Section Corner

West Between Sec. 6 & 7

40.00 Set of. Sec. post, from which

a Beech 6 in. dia. bears N 50 E 35 lks. dist. 4.

a Gum 8 " " " S 20 E 16 " "

61.93 Intersected the N. boundary at the post

This mile level 3^d rate Land - timber Beech
Oak Gum &c.

North Between Sec. 5 & 6

476

Twp 12 N E. 2 Mer. Indiana

ch. l. h.

40.00 Set of. Sec. post. from which
a Beech 6 in. dia. bears N 25 W 12 l. h. dist. 4
a Do. 12 " " S 15 W 11 "

77.42 Intersected the N. boundary 50 l. h. E. of post.
Set post Cor. to Sec. 5 & 6, from which
a Beech 12 in. dia. bears N 15 E 16 l. h. dist. 4
a Poplar 6 " " South 2. " "
this mile level 3^d rate timber Beech &c.
Soil Cold

Surveyed in 1807 By
Stephen Sullow
Deputy Surveyor

Compare

I Certify that the foregoing transcript of field notes of
Township N. 7 North of Range N. 1 East 2 Mer. Indiana,
has been compared with the original notes in this Office
and found to be correct.
Surveyor General's Office
Cincinnati, Nov. 17, 1842

William Johnston
Sur. Genl.